



Defford Close, Webheath, Redditch, B97 5WR

Offers Over £580,000

🛏️ 5 🚿 3 🚪 3



- Executive Detached Home
- Three Floors
- Five/ Six Well-Proportioned Bedrooms
- Home Office/ Optional 6th Bedroom
- Wealth of Versatile Ground Floor Living
- Principal Bathroom, 2x En-Suites and Guest WC
- Landscaped Front and Rear Gardens
- Private Position Opposite Wildlife Reserve
- Sought After Location



An exceptional five-bedroom executive detached family home, occupying a private position opposite a wildlife reserve, is now available in Webheath. This stunning property offers a wealth of versatile living accommodation spread across three floors and boasts a well-maintained, landscaped rear garden.



Defford Close, Redditch



Total Area Approx:
213.3 sq metres (2296 sq ft)

For illustrative purposes only. Decorative finishes, fixtures & fittings do not represent the current state of the property. Measurements are approximate & not to scale. Floor Plans made using RoomSketcher.

Energy performance certificate (EPC)

48, Defford Close REDDITCH B97 5WA	Energy rating D	Valid until: 10 March 2025
		Certificate number: 0196-2860-6575-9795-6395

Property type: Detached house
Total floor area: 195 square metres

Rules on letting this property

Properties can be let if they have an energy rating from A to E.
You can read [guidance for landlords on the regulations and exemptions](https://www.gov.uk/guidance/domestic-private-rented-property-minimum-energy-efficiency-standard-landlord-guidance) (<https://www.gov.uk/guidance/domestic-private-rented-property-minimum-energy-efficiency-standard-landlord-guidance>).

Energy rating and score

This property's energy rating is D. It has the potential to be B.

See how to [improve this property's energy efficiency](#).

The graph shows this property's current and potential energy rating.

Properties get a rating from **A (best)** to **G (worst)** and a score. The better the rating and score, the lower your energy bills are likely to be.

For properties in England and Wales:
the average energy rating is D
the average energy score is 60

Score	Energy rating	Current	Potential
92+	A		
81-91	B		
69-80	C		
55-68	D	← D	
39-54	E		
21-38	F		
1-20	G		

For more information on this house or to arrange a viewing please call the office on:

01527 540 654

Alternatively, you can scan the QR to view all of the details of this property online.

